

Fertigation 17.6.21

Fertigation 17.6.21 is a water-soluble NPK crystalline fertilizer. The high nitrogen and potassium formulation supports the plant during fruit set. Thanks to the different forms of nitrogen (nitric, ammoniacal, ureic), it guarantees a constant intake of the nutrient throughout the whole crop cycle.


Calcium helps to prevent some physiopathologies such as blossom-end rot in tomato/pepper/melon, tip burn in lettuce, bitter-pit in apple trees. It contains microelements chelated with EDTA, that ensure an easier assimilation preventing possible deficiencies and favouring biochemical processes. It can be applied in fertigation.



TYPE
Cristallino



PACKAGING



COMPOSITION

Nitrogen (N) total	17%
of which ammoniacal	0,6%
of which ureic	5,8%
of which nitrico	10,6%
Phosphorus (P₂O₃) soluble in water	6%
Potassium (K₂O) soluble in water	21%
Calcium (C₂O) soluble in water	8%
Boron (B) soluble in water	0,01%
Iron (Fe) chelated EDTA	0,03%
Manganese (Mn) chelated EDTA	0,01%
Molibdeno (Mo) soluble in water	0,001%
Zinc (Zn) chelated EDTA	0,02%

Color and density are indicative. For hazard warnings see page 154.

LOW CHLORINE

DOSAGES AND USES

CROPS	FERTIGATION	FOLIAR G/HL	PERIODO
Stone fruits	30-50 kg/ha	250-300 g/hl	from veraison
Pome fruits	30-50 kg/ha	250-300 g/hl	from veraison
Citrus trees	30-50 kg/ha	250-300 g/hl	from fruit swelling
Wine grape	30-50 kg/ha	250-300 g/hl	from veraison
Table grape	30-50 kg/ha	250-300 g/hl	from veraison
Olive tree	30-50 kg/ha	250-300 g/hl	from veraison
Nut, hazelnut , chestnut	30-50 kg/ha	250-300 g/hl	from fruit swelling
Horticultural in greenhouse	3,5-5 kg/1000 m ²	200-250 g/hl	from veraison
Open field horticultural	30-50 kg/ha	250-300 g/hl	from veraison
Leafy vegetables	30-50 kg/ha	250-300 g/hl	from half cycle