



# Potato

**Uniforming size,  
increasing productivity and shelf-life**

**Giove Bio Gold** has a high concentration of plant amino acids that promotes its effectiveness at low doses. Giove Bio Gold has an anti-stress function (thermal changes and damage from phytotoxicity by weed control), also promoting a balanced nutrition.

**Leaf P-Ca** contains phosphorus and calcium readily assimilable at very acidic pH to strengthen the plant and plant tissues.

**StimUp** is a biostimulant with an elevated efficiency, containing humic and fulvic acids obtained by distillation. The use of **StimUp** stimulates the production of hormone-like substances, favouring the development of a **major number of potatoes**, uniforming their size, **leaf development and chlorophyll protection** from degenerative processes.

**MagnetiCal** is a calcium and magnesium fertiliser, rich in sugars that provides readily available energy to the plant and promotes the **shelf life** of the crop.

**K-Fast** contains a high content of activated potassium and has an anti-stress action, supporting the plant in the delicate stage of ripening; **K-Fast promotes the** increase of dry matter and therefore the productive yield.

For a more complete treatment, it is recommended using **Jolly** in pre-sowing, and **SuperPower Extra** localized to the seed, which thanks to the balanced supply of nitrogen and phosphorus determines a rapid and uniform emergency, and **Cere-aSlow33** to the which provides urea and ammonia nitrogen in synergy with sulphur, ensuring an optimal nutritional contribution to the crop.

In the absence of a microgranulator, **Universal Up**, a high-efficiency nitrogen, phosphorus and humic acid compound fertilizer, is an excellent alternative for an emergency.

**Grow well  
to eat better**



## Technical line:

Product	Dosage	Period of application
JOLLY	600-800 Kg/ha	Pre-sowing
SUPER POWER EXTRA or UNIVERSAL UP	40-50 Kg/ha 80-100 Kg/ha	Localized fertilization at sowing
GIOVE BIO GOLD + LEAF P-CA	1 Kg/ha + 2 L/ha	From 10-15 days after emergence until tuberification
STIM UP + LEAF P-CA	150 ml/ha + 2,5 L/ha	Beginning of tuberification
CEREASLOW 33	400-500 Kg/ha	At ridging
STIM UP + MAGNETICAL	150 ml/ha + 3 L/ha	Tuber swelling
MAGNETICAL + K-FAST	3 L/ha + 4 L/ha	Before the harvest

## Results of the field trial carried out in the production area of Patata Novella di Siracusa in 2020

Transplant date: November 2019 - plot size: 10m<sup>2</sup>

### FCP field trial



Average weight of the potatoes in  
10 m<sup>2</sup> **46 kg**

### Test



Weight of the potatoes harvested in  
10 m<sup>2</sup> **33 kg**

for more details: [agronomia@fcpcerea.it](mailto:agronomia@fcpcerea.it)

[www.fcpcerea.it](http://www.fcpcerea.it)

