

Leaf P-Ca

Specific formulation for size and quality

LEAF P-Ca contains a synergistic formulation of phosphorus and calcium bound together. LEAF P-Ca is effective at low dosages thanks to the high concentration of completely soluble phosphorus and calcium. LEAF P-Ca can be used both in the early stages, rooting and vegetative development, and in the stages of flowering, fruit set and development of the fruit (increasing size, uniformity, hardness and shelf life).

Benefits

- Greater size and quality of the fruit (uniformity, hardness and shelf life);
- Synergistic formulation, bound and highly assimilable phosphorus and calcium;
- Low dosages thanks to the high concentration of phosphorus and calcium (P 23.6% - Ca 6%) completely soluble;
- Extremely versatile product that can be used in every phenological phase.

Title and composition

Nitrogen (N)	Phosphorus (P ₂ O ₅)	Calcium (CaO)	pH (sol. 1%)
3% ⁽¹⁾ 3% ⁽²⁾	23,6% ⁽¹⁾ 23,6% ⁽³⁾	6% ^(1, 3)	1,86


(1) total - (2) ureic - (3) soluble in water

Dosages and uses

Crop	Dosages	Period and method of use	Application
Stone fruit (peach, nectarine, apricot, plum tree)	4-5 l/ha	From fruit set:3 applications every 7-8 days	Foliar
Pome fruits (apple, pear) and kiwi	4-5 l/ha	From fruit set:3 applications every 10-14 days	Foliar
Grapevine and table grape	5-6 l/ha	From fruit set:3 applications every 10-14 days	Foliar
Olive tree	3 l/ha	From blossoming to fruit set	Foliar
Open field horticultural	4-5 l/ha	Beginning of fruit dev.:3-4 applications in 10-14 days	Foliar
Horticultural in green house	1-2 l/1000m ²	From fruit set:3-4 applications every 7-8 days	Foliar
All crops	10-15 l/ha	From the early stages of development	Fertigation



FORMULATION



PACKAGING



TIPOLOGY

LIQUID

